





OUR VISION.

NEMO® IS FOUNDED ON
A COMMITMENT TO ADVENTURE, TO THE FEARLESS
PURSUIT OF UNCHARTED PATHS, IN EVERYTHING—
FROM THE EQUIPMENT WE BUILD
TO THE WAY WE RUN OUR BUSINESS.
BRAVELY EXPLORING OPENS OUR MINDS, BRINGS US CLOSER TO
NEW DIRECTIONS THE PEOPLE WE DEPEND ON, SHARPENS
OUR WITS, AND LIFTS OUR SPIRITS.
ADVENTURE GIVES US PURPOSE AND
PERSPECTIVE. IT MAKES US
HUMBLE AND PROUD.
WE BELIEVE MEANINGFUL ADVENTURES
ARE POSSIBLE FOR **ANYONE, ANYWHERE.**



POSSIBLE, THAT IS, IF YOU BRING
THE WILL, THE IMAGINATION,
AND THE RIGHT GEAR.

Adventure Anywhere™



POLE SUPPORTED
TECHNOLOGY



MIN WEIGHT

3 lbs, 9 oz
1600 g

PACKED SIZE

22 x 6 in dia
56 x 15 cm dia


FLOOR DIM

105 x 101 in
267 x 257 cm

VERSATILE LIVING SPACE

Increase your gear storage capacity with the Bungalow™ Garage™. Peel back your Bungalow™ 4P fly and attach the Garage™ to the inner canopy with the simple clip system. The Garage™ slides under the fly to create a waterproof seal and adds 74 square feet of shelter. The cavernous interior can hold it all — a fleet of bikes, climbing gear, and any other equipment to suit your adventures.


FOR DETAILED SETUP, CARE, AND REPAIR INSTRUCTIONS, VISIT:
www.nemoequipment.com/support



BUNGALOW™ GARAGE™
FITS BUNGALOW™ 4P




NEMO PRODUCT STATISTICS



Minimum Weight	3 lbs, 9 oz / 1600 g
Packaged Weight	3 lbs, 12 oz / 1704 g
Packed Size	22 x 6 in dia / 56 x 15 cm dia
Frame	1 8.5 mm Aluminum Pole
Fabric	68D PU Polyester (1500mm)
Floor Dimensions	105 x 101 in / 267 x 257 cm
Interior Height	55 in / 140 cm
Floor Area	74 sq ft / 6.8 sq m
Included Accesories	Drawstring Stuffsack

BUNGALOW™ GARAGE™ HIGHLIGHTS




Automatic Pole Restraint A nylon webbing strap keeps the vestibule pole and fabric perfectly tensioned. The combination of a simple pole sleeve and side release buckle attachment on the webbing strap make setup quick and easy.




NEMO PRODUCT
SETUP GUIDE




Note: To easily install the Bungalow™ Garage™, start with the fly off the tent.




1. Connect hooks around webbing located on top of tent.




2. Attach webbing with grommet at each end of the same ridge pole.



3. Insert pole through pole sleeve and insert ends into grommets on webbing strap.



4. Stake out front points. Stake out side anchors (optional).




5. Roll back tent fly tucking it under itself to allow water to shed off tent and garage without pooling or leaking.






OTHER BUNGALOW™ 4P ACCESSORIES



Footprints reduce the wear and tear on your tent floor from contact with the ground. They are made of 75D abrasion-resistant nylon fabric and perfectly sized to your tent. The fabric is PU coated for waterproofness.



Pawprints™ are removable liners perfectly sized to button snap to the inside corners of your tent. They protect your tent floor from boots and paws, and add serious comfort. Pawprints™ are made of soft machine-washable brushed polyester. Place your sleeping pads between a Pawprint™ and the floor to help them stay in place.



Gear Lofts add additional overhead storage without compromising floor space or elbow room. Made of mesh and featuring two storage pockets and two Light Pockets™, the Gear Loft is perfect for drying clothes or stashing gear for quick access.



NEMO QUALITY
GUARANTEE



NEMO guarantees every product we sell. We put great effort into choosing the best materials and providing you with the highest level of workmanship. We obsess over every design decision to ensure you get the greatest comfort and protection possible. Our process begins with pencil and paper and evolves methodically through computer modeling, prototyping, testing, and development. We strive to design and build the best outdoor equipment on the planet.

NEMO products carry a lifetime warranty against defects in workmanship and materials to original owner, with proof of purchase or warranty registration. Warranted products will be replaced or repaired at NEMO's discretion. NEMO does not warranty products against normal wear and tear, unauthorized modifications or alterations, improper use, improper maintenance, misuse or neglect or if the product is used for a purpose for which it is not intended.

If you are having a problem with your NEMO product, please visit www.nemoequipment.com/support/warranty-returns/ or call NEMO Customer Service at **1-800-997-9301**.

We will do our best to see that you are satisfied with your NEMO product. Our goal is to get you back to the outdoors as quickly as possible.

Register your NEMO product for warranty online and receive a code for 10% off at the NEMO webstore!

nemoequipment.com/tent-manufacturer-warranty

Except as expressly set forth in these terms and conditions, NEMO is not liable for any direct, indirect or consequential damages arising out of or resulting from the use of a NEMO product. The warranties set forth in these terms and conditions are in lieu of all other warranties, express or implied, including without limitation, implied warranties of merchantability or fitness for a particular purpose.



LET'S GET SOCIAL #adventureanywhere



nemoequipment



@NEMO_Equipment



NEMOEquipmentInc



@nemoequipment



WARNING

Never place your stove, campfire, or other flame source in or near your tent. Never cook, light, or refuel a stove or any other heat source inside your tent. Death by suffocation and/or serious burns is possible.

Maintain adequate ventilation inside your tent at all times. Death by suffocation is possible.

Anchor your tent properly at all times to reduce the risk of loss or injury to the tent or occupants.

Carefully consider the possibility of falling rocks or tree limbs, lightning strikes, flash floods, avalanches, strong winds, and other hazards when choosing a campsite to reduce the risk of loss or injury.

If you have additional questions, please contact
NEMO Equipment, Inc. at 800-997-9301.

NOTE: All 2015 NEMO tents meet the CPAI-84 standard
for flame retardancy.



www.nemoequipment.com

©2016 NEMO Equipment, Inc.