



FOOTPRINT

INCLUDED





OUR VISION.

NEMO® IS FOUNDED ON
A COMMITMENT TO ADVENTURE, TO THE FEARLESS
PURSUIT OF UNCHARTED PATHS, IN EVERYTHING—
FROM THE EQUIPMENT WE BUILD
TO THE WAY WE RUN OUR BUSINESS.
BRAVELY EXPLORING OPENS OUR MINDS, BRINGS US CLOSER TO
NEW DIRECTIONS THE PEOPLE WE DEPEND ON, SHARPENS
OUR WITS, AND LIFTS OUR SPIRITS.
ADVENTURE GIVES US PURPOSE AND
PERSPECTIVE. IT MAKES US
HUMBLE AND PROUD.
WE BELIEVE MEANINGFUL ADVENTURES
ARE POSSIBLE FOR **ANYONE, ANYWHERE.**



POSSIBLE, THAT IS, IF YOU BRING
THE WILL, THE IMAGINATION,
AND THE RIGHT GEAR.

Adventure Anywhere™



POLE SUPPORTED
TECHNOLOGY



MIN WEIGHT

4 lbs, 15 oz
2.2 kg

PACKED SIZE

18 x 6.5 in dia
46 x 17 cm dia

FLOOR DIM

90 x 54 in
229 x 137 cm

CROSS OVER TO ADVENTURE

NEMO **innovation and quality** at an accessible price.

Luxury details like Light Pockets™, MagTie™ door tiebacks, and an included Footprint.

Strong fabrics and robust hardware coupled with an intuitive configuration and single hubbed pole make for one of the most durable and easy to use tents in the category.

FOR DETAILED SETUP, CARE, AND REPAIR INSTRUCTIONS, VISIT:
www.nemoequipment.com/support




GALAXI™ 2P

2 PERSON



NEMO PRODUCT STATISTICS



Minimum Weight	4 lbs, 15 oz / 2.2 kg
Packaged Weight	5 lbs, 6 oz / 2.4 kg
Packed Size	18 x 6.5 in dia / 46 x 17 cm dia
Frame	9mm Hubbed Aluminum Poles
Shell Fabric	No-See-Um-Mesh
Fly Fabric	68D PU Polyester (1,500 mm)
Floor Fabric	70D PU Nylon (3,000 mm)
Floor Dimensions	90 x 54 in / 229 x 137 cm
Interior Height	40 in / 102 cm
Floor Area	32 sq ft / 3.0 sq m
Vestibule Area	22 sq ft / 2.0 sq m
Included Accessories	Drawstring stuff sack, Footprint, stakes, guy-out cord, repair kit
Optional Accessories	Pawprint™, Gear Loft





NEMO PRODUCT
INNOVATIONS



NEMO is constantly developing new aluminum pole technology, hardware, and frame configurations to maximize the strength, wind resistance, interior volume, weight, and usability of our tents. We pursue simplicity and pure geometric forms wherever possible. Classic arch shapes are used to fend off top loads and catenary curves transfer tension through fabric panels. Every design element is deliberate and has a functional purpose, much like nature itself.

GALAXI™ 2P HIGHLIGHTS



Generous vestibules offer protected entry and dry gear storage. Tie back one or both of the doors, or close both for full protection.



MagTie™ magnetic door tie-backs make it simple to roll back your door and keep it out of the way.




An integrated Light Pocket™ diffuses light from your headlamp to cast an even glow throughout the tent. Interior mesh gear pockets are sized to fit glasses, books, hats, or gloves.

GALAXI™ 2P ACCESSORIES



Footprints reduce the wear and tear on your tent floor from contact with the ground. They are made of 75D abrasion-resistant nylon fabric and are perfectly sized to your tent. The fabric is PU coated for waterproofness.



Pawprints™ are removable liners perfectly sized to button snap to the inside corners of your tent. They protect your tent floor from boots and paws, and add serious comfort. Pawprints™ are made of soft machine-washable brushed polyester. Place your sleeping pads between a Pawprint™ and floor to help them stay in place.



Mesh Gear Lofts add additional overhead storage without compromising floor space or elbow room. Perfect for drying clothes or stashing gear for quick access, many Gear Lofts include Light Pockets™ for a headlamp, which use a light-diffusing fabric to cast an even glow throughout the tent.





NEMO QUALITY
GUARANTEE



NEMO guarantees every product we sell. We put great effort into choosing the best materials and providing you with the highest level of workmanship. We obsess over every design decision to ensure you get the greatest comfort and protection possible. Our process begins with pencil and paper and evolves methodically through computer modeling, prototyping, testing, and development. We strive to design and build the best outdoor equipment on the planet.

NEMO products carry a lifetime warranty against defects in workmanship and materials to original owner, with proof of purchase or warranty registration. Warranted products will be replaced or repaired at NEMO's discretion. NEMO does not warranty products against normal wear and tear, unauthorized modifications or alterations, improper use, improper maintenance, misuse or neglect or if the product is used for a purpose for which it is not intended.

If you are having a problem with your NEMO product, please visit www.nemoequipment.com/support/warranty-returns/ or call NEMO Customer Service at **1-800-997-9301**.

We will do our best to see that you are satisfied with your NEMO product. Our goal is to get you back to the outdoors as quickly as possible.

Register your NEMO product for warranty online and receive a code for 10% off at the NEMO webstore!

nemoequipment.com/tent-manufacturer-warranty

Except as expressly set forth in these terms and conditions, NEMO is not liable for any direct, indirect or consequential damages arising out of or resulting from the use of a NEMO product. The warranties set forth in these terms and conditions are in lieu of all other warranties, express or implied, including without limitation, implied warranties of merchantability or fitness for a particular purpose.



LET'S GET SOCIAL #adventureanywhere



nemoequipment



@NEMO_Equipment



NEMOEquipmentInc



@nemoequipment



WARNING

Never place your stove, campfire, or other flame source in or near your tent. Never cook, light, or refuel a stove or any other heat source inside your tent. Death by suffocation and/or serious burns is possible.

Maintain adequate ventilation inside your tent at all times. Death by suffocation is possible.

Anchor your tent properly at all times to reduce the risk of loss or injury to the tent or occupants.

Carefully consider the possibility of falling rocks or tree limbs, lightning strikes, flash floods, avalanches, strong winds, and other hazards when choosing a campsite to reduce the risk of loss or injury.

If you have additional questions, please contact
NEMO Equipment, Inc. at 800-997-9301.

NOTE: All 2015 NEMO tents meet the CPAI-84 standard
for flame retardancy.



www.nemoequipment.com

©2016 NEMO Equipment, Inc.