



OUR VISION.

NEMO® IS FOUNDED ON
A COMMITMENT TO ADVENTURE, TO THE FEARLESS
PURSUIT OF UNCHARTED PATHS, IN EVERYTHING—
FROM THE EQUIPMENT WE BUILD
TO THE WAY WE RUN OUR BUSINESS.
BRAVELY EXPLORING **NEW DIRECTIONS** OPENS OUR MINDS, BRINGS US CLOSER TO
THE PEOPLE WE DEPEND ON, SHARPENS
OUR WITS, AND LIFTS OUR SPIRITS.
ADVENTURE GIVES US PURPOSE AND
PERSPECTIVE. IT MAKES US
HUMBLE AND PROUD.
WE BELIEVE **MEANINGFUL ADVENTURES**
ARE POSSIBLE FOR **ANYONE, ANYWHERE.**



POSSIBLE, THAT IS, IF YOU BRING
THE WILL, THE IMAGINATION,
AND THE RIGHT GEAR.

Adventure Anywhere™



POLE SUPPORTED
TECHNOLOGY



MIN WEIGHT

1 lb, 11 oz
765 g

PACKED SIZE

19 x 5 in dia
48 x 12 cm dia

FLOOR DIM

87 x 40 in
221 x 100 cm

DEFENDER OF HOME IN THE BACKCOUNTRY

Side doors offer more vestibule space and easier access in and out of the tent. The 2P version has doors on both sides, offering the best experience in the sub-2lb category.

Unique NEMO features like Light Pockets™, volumizing guy outs, and our new two-stage Divvy™ sack, perfect for dividing the tent between two people on the trail.

The highest performance fabrics in the industry, with all top shelf components including DAC Featherlite® NFL poles.

FOR DETAILED SETUP, CARE, AND REPAIR INSTRUCTIONS, VISIT:
www.nemoequipment.com/support




HORNET™ 1P

1 PERSON



NEMO PRODUCT STATISTICS



Minimum Weight	1 lb, 11 oz / 765 g
Packed Weight	2 lbs, 0 oz / 900 g
Packed Size	19 x 5 in dia / 48 x 12 cm dia
Frame	1 DAC 8.7 mm Featherlite® NFL
Canopy	25D Nylon / No-See-Um Mesh
Fly Fabric	10D PeU Nylon (1,200mm)
Floor Fabric	15D PeU Nylon (1,200mm)
Floor Dimensions	87 in x 40 in / 221 cm x 100 cm
Interior Height	40 in / 102 cm
Floor Area	21 sq ft / 2.0 sq m
Vestibule Area	8 sq ft / 0.8 sq m
Included Accessories	Divvy™ Sack dual stage drawstring stuff sack, stakes, guy-out cord, repair kit
Optional Accessories	Footprint




NEMO PRODUCT
INNOVATIONS




NEMO is constantly developing new aluminum pole technology, hardware, and frame configurations to maximize the strength, wind resistance, interior volume, weight, and usability of our tents. We pursue simplicity and pure geometric forms wherever possible. Classic arch shapes are used to fend off top loads and catenary curves transfer tension through fabric panels. Every design element is deliberate and has a functional purpose, much like nature itself.

HORNET™ 1P HIGHLIGHTS




The DAC Jake's Foot corner anchor system makes setup fast and easy. The Jake's Feet also improve fabric tension by acting as cantilevers to pull the corners of the inner tent closer to the ground.



Triangulated volumizing guyouts increase interior storage space by up to 15%.




Inner tent has a built-in **privacy panel** for extended coverage and security.




Hubbed pole intersections create a single pole for quick setup, allowing free-standing support and minimizing pole weight



An integrated Light Pocket™ diffuses light from your headlamp to cast an even glow throughout the tent.




Our new Divvy™ Sack dual-stage stuff sack fits the tent and poles or adjusts smaller to further compress the tent and split the load.



An interior mesh pocket is nicely sized to fit glasses, watch, or your phone.

HORNET™ 1P ACCESSORIES



FOOTPRINT

Footprints reduce the wear and tear on your tent floor from contact with the ground. They are made of 75D abrasion-resistant nylon fabric and perfectly sized to your tent. The fabric is PU coated for water-proofness.





NEMO QUALITY
GUARANTEE



NEMO guarantees every product we sell. We put great effort into choosing the best materials and providing you with the highest level of workmanship. We obsess over every design decision to ensure you get the greatest comfort and protection possible. Our process begins with pencil and paper and evolves methodically through computer modeling, prototyping, testing, and development. We strive to design and build the best outdoor equipment on the planet.

NEMO products carry a lifetime warranty against defects in workmanship and materials to original owner, with proof of purchase or warranty registration. Warranted products will be replaced or repaired at NEMO's discretion. NEMO does not warranty products against normal wear and tear, unauthorized modifications or alterations, improper use, improper maintenance, misuse or neglect or if the product is used for a purpose for which it is not intended.

If you are having a problem with your NEMO product, please visit www.nemoequipment.com/support/warranty-returns/ or call NEMO Customer Service at **1-800-997-9301**.

We will do our best to see that you are satisfied with your NEMO product. Our goal is to get you back to the outdoors as quickly as possible.

Register your NEMO product for warranty online and receive a code for 10% off at the NEMO webstore!

nemoequipment.com/tent-manufacturer-warranty

Except as expressly set forth in these terms and conditions, NEMO is not liable for any direct, indirect or consequential damages arising out of or resulting from the use of a NEMO product. The warranties set forth in these terms and conditions are in lieu of all other warranties, express or implied, including without limitation, implied warranties of merchantability or fitness for a particular purpose.



LET'S GET SOCIAL #adventureanywhere



nemoequipment



NEMOEquipmentInc



@NEMO_Equipment



@nemoequipment



WARNING

Never place your stove, campfire, or other flame source in or near your tent. Never cook, light, or refuel a stove or any other heat source inside your tent. Death by suffocation and/or serious burns is possible.

Maintain adequate ventilation inside your tent at all times. Death by suffocation is possible.

Anchor your tent properly at all times to reduce the risk of loss or injury to the tent or occupants.

Carefully consider the possibility of falling rocks or tree limbs, lightning strikes, flash floods, avalanches, strong winds, and other hazards when choosing a campsite to reduce the risk of loss or injury.

If you have additional questions, please contact
NEMO Equipment, Inc. at 800-997-9301.

NOTE: All 2015 NEMO tents meet the CPAI-84 standard
for flame retardancy.



www.nemoequipment.com

©2016 NEMO Equipment, Inc.