





OUR VISION.

NEMO® IS FOUNDED ON
A COMMITMENT TO ADVENTURE, TO THE FEARLESS
PURSUIT OF UNCHARTED PATHS, IN EVERYTHING—
FROM THE EQUIPMENT WE BUILD
TO THE WAY WE RUN OUR BUSINESS.
BRAVELY EXPLORING OPENS OUR MINDS, BRINGS US CLOSER TO
NEW DIRECTIONS THE PEOPLE WE DEPEND ON, SHARPENS
OUR WITS, AND LIFTS OUR SPIRITS.
ADVENTURE GIVES US PURPOSE AND
PERSPECTIVE. IT MAKES US
HUMBLE AND PROUD.
WE BELIEVE MEANINGFUL ADVENTURES
ARE POSSIBLE FOR **ANYONE, ANYWHERE.**



POSSIBLE, THAT IS, IF YOU BRING
THE WILL, THE IMAGINATION,
AND THE RIGHT GEAR.

Adventure Anywhere™



POLE SUPPORTED
TECHNOLOGY



MIN WEIGHT

4 lbs, 0 oz
1.8 kg

PACKED SIZE

7.5 x 6 in dia
19 x 15 cm dia

FLOOR DIM

85 x 51 in
216 x 130 cm

4-SEASON BACKPACKING

Not just a backpacking tent nor a mountaineering tent, but both combined into one uniquely **versatile 4-season design**.

Tapered profile, aggressive brow pole, wind-blocking ripstop inner canopy, and special VX fabric reinforced seams **hold back extreme weather**.


Highest quality fabrics and components with thoughtful features typical of a NEMO tent.

FOR DETAILED SETUP, CARE, AND REPAIR INSTRUCTIONS, VISIT:
www.nemoequipment.com/support



KUNAI™ 2P
2 PERSON

NEMO PRODUCT STATISTICS



Minimum Weight	4 lbs, 0oz / 1.8 kg
Packed Weight	4 lbs, 10 oz / 2.1 kg
Packed Size	7.5 x 6 in dia / 19 x 15 cm
Frame	2 DAC 9.0 mm Featherlite NSL
Canopy	20D Nylon / No-See-Um Mesh
Fly Fabric	20D PU Nylon (1,500 mm)
Floor Fabric	30D PU Nylon (3,000mm)
Floor Dimensions	85 in x 51 in / 216 cm x 130 cm
Interior Height	42 in / 107 cm
Floor Area	27 sq ft / 2.5 sq m
Vestibule Area	7 sq ft / 0.7 sq m
Included Accessories	Dry bag style stuff sack, stakes, guy-out cord, repair kit
Optional Accessories	Footprint






NEMO PRODUCT
INNOVATIONS




NEMO is constantly developing new aluminum pole technology, hardware, and frame configurations to maximize the strength, wind resistance, interior volume, weight, and usability of our tents. We pursue simplicity and pure geometric forms wherever possible. Classic arch shapes are used to fend off top loads and catenary curves transfer tension through fabric panels. Every design element is deliberate and has a functional purpose, much like nature itself.

KUNAI™ 2P HIGHLIGHTS



Wind-stopping breathable ripstop on the inner tent keeps you protected in even the most bone-chilling weather.




Direct Guy-Out Points are strategically placed and pass through the fly and attach directly to the poles to keep your tent anchored to the ground.



Rear Venting A large overhead vent opposite the door promotes good air circulation. The ridge pole keeps the vent properly tensioned and provides an awning over fabric window that can be opened and closed from the inside to expose mesh.

KUNAI™ 2P ACCESSORIES



Footprints reduce the wear and tear on your tent floor from contact with the ground. They are made of 75D abrasion-resistant nylon fabric and are perfectly sized to your tent. The fabric is PU coated for waterproofness.





NEMO QUALITY
GUARANTEE



NEMO guarantees every product we sell. We put great effort into choosing the best materials and providing you with the highest level of workmanship. We obsess over every design decision to ensure you get the greatest comfort and protection possible. Our process begins with pencil and paper and evolves methodically through computer modeling, prototyping, testing, and development. We strive to design and build the best outdoor equipment on the planet.

NEMO products carry a lifetime warranty against defects in workmanship and materials to original owner, with proof of purchase or warranty registration. Warranted products will be replaced or repaired at NEMO's discretion. NEMO does not warranty products against normal wear and tear, unauthorized modifications or alterations, improper use, improper maintenance, misuse or neglect or if the product is used for a purpose for which it is not intended.

If you are having a problem with your NEMO product, please visit www.nemoequipment.com/support/warranty-returns/ or call NEMO Customer Service at **1-800-997-9301**.

We will do our best to see that you are satisfied with your NEMO product. Our goal is to get you back to the outdoors as quickly as possible.

Register your NEMO product for warranty online and receive a code for 10% off at the NEMO webstore!

nemoequipment.com/tent-manufacturer-warranty

Except as expressly set forth in these terms and conditions, NEMO is not liable for any direct, indirect or consequential damages arising out of or resulting from the use of a NEMO product. The warranties set forth in these terms and conditions are in lieu of all other warranties, express or implied, including without limitation, implied warranties of merchantability or fitness for a particular purpose.



LET'S GET SOCIAL #adventureanywhere



nemoequipment



@NEMO_Equipment



NEMOEquipmentInc



@nemoequipment



WARNING

Never place your stove, campfire, or other flame source in or near your tent. Never cook, light, or refuel a stove or any other heat source inside your tent. Death by suffocation and/or serious burns is possible.

Maintain adequate ventilation inside your tent at all times. Death by suffocation is possible.

Anchor your tent properly at all times to reduce the risk of loss or injury to the tent or occupants.

Carefully consider the possibility of falling rocks or tree limbs, lightning strikes, flash floods, avalanches, strong winds, and other hazards when choosing a campsite to reduce the risk of loss or injury.

If you have additional questions, please contact
NEMO Equipment, Inc. at 800-997-9301.

NOTE: All 2015 NEMO tents meet the CPAI-84 standard
for flame retardancy.



www.nemoequipment.com

©2016 NEMO Equipment, Inc.